

Attachment A: DC Access to Quality Child Care for Children with Disabilities List of Established Conditions

1. Genetic Disorder

- Abnormalities of Chromosome Number (All except Klinefelter) such as, but not limited to:
 - o Down syndrome
 - o Trisomy 21
 - o Patau's syndrome
 - o Trisomy 13
 - o Edward's syndrome
 - o Trisomy 18
 - o Other conditions due to autosomal anomalies
- Genetic Conditions with Known Chromosomal Alterations
 - o Angelman Syndrome
 - o Autosomal deletion syndromes: antimongolism syndrome, Cri-du-Chat Syndrome,
 - o Bardet-Biedl Syndrome, CHARGE Syndrome, Cornelia de Lange Syndrome, Fragile X Syndrome, Jeune Syndrome, Menkes Syndrome, Noonan Syndrome, Opitz Syndrome, Prader-Willi Syndrome, Rubenstein-Taybi Syndrome, Weaver Syndrome, Williams Syndrome
- Pre-Natal Exposures
 - o Fetal Alcohol Syndrome, Fetal Phenytoin (Dilantin) Syndrome, Pediatric AIDS, TORCH, congenital toxoplasmosis, congenital rubella, congenital CMV (cytomegalovirus), congenital herpes
- Neurocutaneous Syndromes
 - o Tuberous Sclerosis, Sturge Webber Syndrome, Neurofibromatosis, Ataxia Telangiectasia
- Inborn Errors of Metabolism
 - o Amino Acidopathies, Organic Acidemias,
 - o Glutaric Aciduria type II
- Very long-chain fatty acid storage diseases
 - o All, including Peroxisomal Disorders Leukodystrophy, Krabbe's disease, Pelizaeus- Merzbacher disease, Sulfatide Lipidosis
 - o Cerebral lipidoses, Batten disease, Jansky- Bielschowsky disease, Kufs disease, Spielmeyer-Vogt disease, Tay-Sachs disease, Glangliosidosis, Cerebral degeneration in generalized lipidoses, Cerebral degeneration of childhood in other disease classified elsewhere
 - o MCAD (medium chain acylCoA dehydrogenase deficiency)

2. Sensory Impairments

- Blindness ("legal" blindness or 20/200 best acuity with correction)
- Low Vision (20/70 best acuity with correction)
- Retinopathy of Prematurity, (Grades 4 and 5)
- Neurological Visual Impairment
- Hearing Impairment
- Neural hearing loss (includes auditory neuropathy)

3. Motor Impairments

- Arthrogryposis/multiplex Congentia
- Torticollis
- Childhood Apraxia of Speech (diagnosed by an SLP)

4. Neurologic Disorders

- o Absence of part of brain
- o Agyria
- o Aplasia of part of brain
- o Arhinencephaly Brain Malformation
- o Cerebral Dysgenesis or agenesis of part of brain
- o Congenital Cerebral cyst
- o Holoprosencephaly
- o Hydrocephaly congenital or acquired
- o Intraventricular Hemorrhage (IVH)
- o Lissencephaly Syndrome (Miller-Dieker Syndrome)
- o Macroencephaly
- o Macrogyria
- o Megalencephaly
- o Multiple anomalies of the brain
- o Peri-ventricular Leukomalacia (PVL)
- o Porencephalic Cyst
- o Ulegyria
- o Meningomyelocele
- o Myelomeningocele
- o Spina Bifida
- o Neural Tube Defect

- o Arnold-Chiari syndrome, type II and Chiari malformation, type II
- o Hydromeningocele (spinal)
- o Hydromyelocele
- o Meningocele (spinal)
- o Meningomyelocele
- o Myelocele
- o Myelocystocele
- o Rachischisis
- o Spina bifida (aperta)
- o Syringomyelocele
- o Cerebral Palsy (all types)
- o Charcot-Marie-Tooth Disease
- o Degenerative Progressive Neurological Condition
- o Encephalopathy
- o Myopathy
- o Seizures (poorly or uncontrolled)
- o Spinal Muscular Atrophy
- o Werdnig Hoffman Disorder Stroke

5. Sociocommunicative Disorders

- Asperger Syndrome / Disorder
- Autism
- Childhood Depression
- Childhood Disintegrative Disorder
- PDD- NOS
- Reactive Attachment Disorder
- Rett syndrome

6. Medically Related Disorders

- Congenital or infancy-onset hypothyroidism
- Cleft Palate (prior to the operation to repair the cleft and up to one-year post-operative)
- Lead intoxication ($>45 \mu\text{g/dL}$) (up to six months after identification)
- Very Low Birth Weight (<1000 grams at birth, up to 6 months corrected age only) if under 500g, if 500g-749g, 750g-999g
- Prematurity (28 weeks or less gestation, up to 6 months corrected age only) less than 24 completed weeks of gestation, 24 completed weeks of gestation, 25-26 completed weeks

7. Acquired Trauma Related Disorders

- Traumatic Brain Injury/TBI without open intracranial wound (a) with prolonged loss of consciousness and return to conscious level (b) with prolonged loss of consciousness without return to conscious level unspecified state of consciousness
- Traumatic Brain Injury/TBI with open intracranial wound
 - (a) with prolonged loss of consciousness and return to conscious level;
 - (b) with prolonged loss of consciousness without return to conscious level with a concussion, unspecified.